

ABBYY FlexiCapture 12 Release 4 Update 3 Patch 7

Table of contents

Overview	3
How to Update	4
Installation	4
Re-authentication with Microsoft OAut	h 4
Google IMAP settings	6
Technical information	8
Bug Fixes	8

Overview

This release builds upon FlexiCapture 12 Release 4 Update 3 and includes all features and fixes from that release and its previous patches.

This patch addresses the need to update the Application ID and enables the configurability and systematic rotation of OAuth secrets. It is imperative to maintain the functionality of your workflows that connect to Microsoft Outlook and SharePoint.

This patch also updates the Google IMAP authentication mechanism to implement OAuth 2.0 as the new authentication method for Google accounts to ensure continued support for processing emails from Google mailboxes after September 30, 2024, when the current authentication method will no longer be supported.

IMPORTANT: If you are using Google IMAP to import email, you will need to perform manual actions after deployment. You will need to re-authenticate via OAuth for any profiles that involve importing documents from a Google Account.

followed before applying the update. For any questions or assistance, please contact <u>Customer Support</u>.

How to Update

To apply the patch, please follow the standard FlexiCapture update procedure as described in the <u>System Administrator's Guide</u>. Installation packages can be downloaded from the following URLs:

ABBYY_FlexiCapture12_Developers_x64_R4U3_12.0.4.1057.exe

ABBYY_FlexiCapture12_Distributed_R4U3_12.0.4.1057.iso

If you use **Microsoft Outlook** e-mail import or export to **Microsoft SharePoint**, please follow these instructions to install the patch and update the project configuration. For more information and detailed step-by-step instructions on how to re-configure your document import and/or export profiles, please see <u>Knowledge</u> <u>Base article</u> or <u>contact our technical support team</u>.

Installation

Follow the standard FlexiCapture update process to install the patch. The following components will be updated:

- 1. Application Server (including TMS)
- 2. Processing Server
- 3. Processing stations
- 4. Project Setup Station and other local user stations

Re-authentication with Microsoft OAuth

Since the Application ID changes, it is necessary to re-authenticate to restore import and export scenarios.

While this can be done at any time after applying the patch, we recommend doing it immediately to ensure stable operation.

To re-authentication for input folders using Microsoft Outlook (OAuth), do the following:

- 1. Open the import profile.
- 2. Re-authenticate (new Application ID will be used).
- 3. Save changes.

To re-authentication for export profiles to SharePoint (OAuth), do the following:

- 1. Open the export profile in a Document Definition.
- 2. Re-authenticate (new Application ID will be used).
- 3. Save changes.

To re-authentication for export profiles to SharePoint (OAuth), do the following:

- 1. Open the export profile in a Document Definition.
- 2. Re-authenticate (new Application ID will be used).
- 3. Save changes.

Google IMAP settings

If you are using **Google IMAP** e-mail import, please follow these instructions to install the patch and update the project configuration. For more information and detailed step-by-step instructions on how to re-configure your document import and/or export profiles please visit <u>Knowledge Base article</u> or <u>contact our</u> <u>technical support team</u>.

E-mail import from Google mailbox or Microsoft mailbox using IMAP and OAuth authentication

General Image	Loading	Image Processing	CleanUp Folder			
Profile name:	Load	from imap.gmail.com	:993	!	Co.	
Source type:	IMAP	server			\sim	
Source:	imap.	gmail.com:993				
			Browse	Settings.		
Comment:						
					Ŧ	

1. Create or open existing import profile for IMAP:

- 2. Specify **Source type**:
 - imap.gmail.com:993 for Google mailboxes;
 - outlook.office365.com:993 for Microsoft mailboxes.
- 3. Click the **Settings**... button. Choose the corresponding OAuth provider from the combo box under the **OAuth 2.0 authentication** radio button:
 - Microsoft identity platform for Microsoft IMAP;

Network Settings		>
User name: eggmail.com		
OUse OAuth 2.0 authentication		
Google OAuth	 Sign in)
O Define authentication parameters		
Type of encrypted connection: Auto	V	
	OK Cancel	

• Google OAuth - for Google IMAP.

4. Click the **Sign In**... button to sign into your account and allow FlexiCapture to access your mailbox.

Additional Information:

Ensure that all system prerequisites and backup procedures are met before applying the update.

For any questions or assistance, please contact our technical support team.

Technical information

Release	Part #	Build #	Web build #	Installer build #	OCRT build #	Release date
Release 4 Update 3 Patch 7	1299/81	12.0.4.1057	12.0.43.12255	1242666	16.3.163.23	09/23/2024
Release 4 Update 3	1299/71	12.0.4.910		917309	16.3.163.9	5/24/2023
Release 4	1299/54	12.0.4.678		476916	16.2.361.11	12/13/2021

Bug Fixes

Bug ID	Description
592357, 593779, 595630, 601294, 601353, 602001	Starting from FlexiCapture 12 Release 4 Update 3 Patch 7, Google IMAP authentication using OAuth 2.0 is supported.



For more information, please visit <u>www.abbyy.com</u> If you have additional questions, contact your local ABBYY representative listed under <u>www.abbyy.com/contacts.</u> abbyy.com

© ABBYY 2024. ABBYY is a registered trademark or a trademark of ABBYY Development Inc. and/or its affiliates. This designation can also be logo, product or company name (or part of any of the above) of ABBYY Development Inc. and/ or its affiliates and may not be used without consent of their respective owners. All other product names and trademarks mentioned herein are the property of their respective owners. DS-730